

# NTN MR324120+MI-243220 needle roller bearings

Online shopping NTN MR324120+MI-243220 needle roller bearings 110 Outer Diameter (mm) from a great selection at Store. ... 60x110x22 Size (mm) Accessories.

Size (mm)	60x110x22
Bore Diameter (mm)	60
Outer Diameter (mm)	110
Width (mm)	22
d	60 mm
D	110 mm
B	22 mm
C	22 mm
r min.	1,5 mm
da min.	68 mm
da max	74,5 mm
Da max.	102 mm
ra max.	1,5 mm
Weight	0,783 Kg
Basic dynamic load rating (C)	52,5 kN
Basic static load rating (C0)	36 kN
(Grease) Lubrication Speed	5 600 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.78
EAN	0029176015250

Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	60MM Bore; 110MM Outside Diameter; 22MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6212ZZ
Weight / LBS	0.775
Outside Diameter	4.331 Inch   110 Millimeter
Bore	2.362 Inch   60 Millimeter
Outer Race Width	0.866 Inch   22 Millimeter
SRI	8.22
hidYobi	6212ZZ
LangID	1
D_	110
SREX	0.03
B_	22
da min	68

hidTable	ecat_NSRDGB
SRE	8.22
mass	0.783
GRS rpm	5600
ra	1.5
SRIX	0.03
D_a	102
SRIN	-0.03
C0	36
fo	14.3
SREN	-0.03
DE_	102.375
Prod_Type3	DGBB_SR_ZZ
DA_	15.875
bomp	0
Z_	10
yobi	6212ZZ
C_conv	52500
ALPHA_	0
SDM_	86.5
r	1.5
KBRG	6141
SBRG	2
DI_	70.625