

NTN NA6917R needle roller bearings

The online NTN NA6917R needle roller bearings parts store gives you immediate access to a selection of more than 1.4 million new, used, remanufactured.

| | |
|-------------------------------|------------|
| Size (mm) | 130x75x38 |
| Bore Diameter (mm) | 130 |
| Outer Diameter (mm) | 75 |
| Width (mm) | 38 |
| d | 75 mm |
| D | 130 mm |
| B | 38 mm |
| d2 | 84.5 mm |
| D1 | 120 mm |
| b | 6 mm |
| K | 3 mm |
| r1,2 – min. | 1.5 mm |
| da – min. | 82.2 mm |
| da – max. | 84.5 mm |
| Da – max. | 121 mm |
| ra – max. | 1.5 mm |
| Basic dynamic load rating – C | 217 kN |
| Basic static load rating – C0 | 240 kN |
| Fatigue load limit – Pu | 26.5 kN |
| Limiting speed | 2200 r/min |
| Calculation factor – e | 0.22 |
| Calculation factor – Y1 | 3 |

| | |
|------------------------------------------------|---------|
| Calculation factor – Y2 | 4.6 |
| Calculation factor – Y0 | 2.8 |
| d2 ≈ | 84.5 mm |
| D1 ≈ | 120 mm |
| r1,2 min. | 1.5 mm |
| Da max. | 121 mm |
| ra max. | 1.5 mm |
| Basic dynamic load rating C | 217 kN |
| Basic static load rating C0 | 240 kN |
| Fatigue load limit Pu | 26.5 kN |
| Calculation factor e | 0.22 |
| Calculation factor Y1 | 3 |
| Calculation factor Y2 | 4.6 |
| Calculation factor Y0 | 2.8 |
| Mass bearing | 2.1 kg |
| Recommended lock nut tightening angle α | 130 ° |