

NTN NK16X80X36.5 needle roller bearings

What is the best place to buy NTN NK16X80X36.5 needle roller bearings online? Manufacturing 0.0 Inventory Service .

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.61
EAN	7316576651175
Product Group	B00308
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 3 ISO P6
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	25MM Bore; 80MM Outside Diameter; 21MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Bal
UNSPSC	31171531

Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer Item Number	7405 BM
Weight / LBS	1.345
D	80 mm
d	25 mm
B	21 mm
bore diameter:	25 mm
radial static load capacity:	23.6 kN
outside diameter:	80 mm
cage material:	Brass
overall width:	21 mm
outer ring width:	21 mm
contact angle:	40 °
maximum rpm:	11000 RPM
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C0
precision rating:	ABEC 3 (ISO Class 6)
closure type:	Open
fillet radius:	1.5 mm
radial dynamic load capacity:	39.7 kN
series:	74
d1 ≈	49.2 mm
d2 ≈	40.32 mm
D1 ≈	60.2 mm
a	33 mm
r1,2 min.	1.5 mm

r _{3,4} min.	1.5 mm
d _a min.	55 mm
D _a max.	110 mm
D _b max.	71.1 mm
r _a max.	2 mm
r _b max.	2 mm
Basic dynamic load rating C	39.7 kN
Basic static load rating C ₀	23.6 kN
Fatigue load limit P _u	1 kN
Reference speed	11000 r/min
Limiting speed	11000 r/min
Calculation factor A	0.0108
Calculation factor k _r	0.1
Calculation factor e	1.14
Calculation factor X	0.57
Calculation factor Y ₀	0.52
Calculation factor Y ₂	0.93
Calculation factor Y ₁	0.55
Mass bearing	0.61 kg