

NTN NK43/20R+IR38X43X20 needle roller bearings

What are the types of NTN NK43/20R+IR38X43X20 needle roller bearings 57,15 Bore Diameter (mm) ? 57.15×79.375×3.175 Size (mm) Manufacturing 79,375 Outer Diameter (mm) Service . Get Your Free, Instant price, design review.

| | |
|-------------------------------|-----------------------|
| Size (mm) | 57.15×79.375×3.175 |
| Bore Diameter (mm) | 57,15 |
| Outer Diameter (mm) | 79,375 |
| Width (mm) | 3,175 |
| d | 57,15 mm |
| D | 79,375 mm |
| T | 3,175 mm |
| Ea | 75,184 mm |
| Eb | 59,94 mm |
| Weight | 0,029 Kg |
| Basic dynamic load rating (C) | 37,68 kN |
| Basic static load rating (C0) | 177,04 kN |
| Inventory | 0.0 |
| Manufacturer Name | KOYO |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.029 |
| EAN | 0605790192708 |
| Product Group | B04144 |
| Rolling Element | Needle Roller Bearing |
| Self Aligning | No |
| Component Description | Roller Assembly Only |

| | |
|-------------------------------------|--|
| Thrust Bearing | Yes |
| Single or Double Direction | Single Direction |
| Banded | No |
| Cage Material | Steel |
| Precision Class | ABEC 1 ISO P0 |
| Other Features | Single Row Two Piece Cage |
| Long Description | 2-1/4" Bore 1; 2-1/4" Bore 2; 3-1/8" Outside Diameter; 1/8" Height; Needle Rolle |
| Inch – Metric | Inch |
| UNSPSC | 31171500 |
| Harmonized Tariff Code | 8482.99.25.40 |
| Noun | Roller Assembly |
| Keyword String | Thrust Needle |
| Manufacturer Item Number | NTA-3650 |
| Weight / LBS | 0.064 |
| Height | 0.125 Inch 3.175 Millimeter |
| Outside Diameter | 3.125 Inch 79.375 Millimeter |
| Bore 1 | 2.25 Inch 57.15 Millimeter |
| Bore 2 | 2.25 Inch 57.15 Millimeter |
| Overall Height with Aligning Washer | 0 Inch 0 Millimeter |
| Bearing No. | NTA-3650 |
| Dc1 | 57.15 |
| Dc | 79.375 |
| Dw | 3.175 |
| Ca | 37.68 |
| C0a | 177.04 |
| Cu | 18.6 |
| Limiting speeds(min-1) | 5300 |

| | |
|-------------------------|----------|
| (Refer.)Mass(kg) | 0.029 |
| Washer designation | TRC-3650 |
| d1 | 79.38 |
| h(max) | 2.41 |
| h(min) | 2.34 |
| S(max) | 57.15 |
| S(min) | 57.07 |
| H | 80.16 |
| (Refer.)Washer mass(kg) | 0.043 |