

# NTN NUP356 cylindrical roller bearings

NTN NUP356 cylindrical roller bearings Industries and Applications 15 Bore Diameter (mm) ? We sell discount online as 15 mm d well as cheap machinery parts.

Bore Diameter (mm)	15
d	15 mm
V	57 mm
U	32,9 mm
Thread (Q)	M6
A	25 mm
A1	9,5 mm
B	27,4 mm
H	99 mm
J	76,5 mm
L	57 mm
N	11,5 mm
A2	17 mm
Weight	0,35 Kg
Basic dynamic load rating (C)	9,8 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4012802098105
Product Group	M06110
Number of Mounting Holes	2

Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	11.5 Millimeter
Relubricatable	Yes
Insert Part Number	GYE15KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric
Long Description	2 Bolt Flange Block; 15MM Bore; 76MM Bolt Circle; 76.5MM Bolt Spacing; 1 Piece Solid; Set Screw Moun
Other Features	Single Row   With Grub Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	RCJTY15
Weight / LBS	0.882
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Length Thru Bore	1.079 Inch   27.4 Millimeter
Bore	0.591 Inch   15 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
Bolt Spacing	3.012 Inch   76.5 Millimeter

Nominal Bolt Circle Diameter  
Round

3 Inch | 76 Millimeter