

# NTN PK22×29×17.8X7 needle roller bearings

Shop NTN PK22×29×17.8X7 needle roller bearings huge online 0.0 Inventory discount inventory. and N/A Minimum Buy Quantity Import machinery parts your car needs with Free Shipping and Free Extended Warranty.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	6.08
EAN	7316576601668
Product Group	B04311
Internal Clearance	C2-Snug
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX3028 (Specify bore)
Withdrawal Nut	KM30
Inch – Metric	Metric
Long Description	140MM Tapered Bore; 210MM Outside Diameter; 53MM Width; C2-Snug Clearance; Adapter Mount; Double Row

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	13.391
B	2.087 Inch   53 Millimeter
Adapter Part Number	SNW3028 H3028 HA3028 HE3028 (Specify Bore) Inch   H3028 (Specify bore) Millimeter
d	5.512 Inch   140 Millimeter
D	8.268 Inch   210 Millimeter
bore diameter:	140 mm
dynamic load capacity:	105000 lbf
outside diameter:	210 mm
static load capacity:	153000 lbf
overall width:	53 mm
maximum rpm (grease):	1800 rpm
bore type:	Tapered 1:12
maximum rpm (oil):	2400 rpm
outer ring type:	Not Split
cage material:	Steel
internal clearance:	C3
bearing material:	Steel
closure type:	Open
series:	230
lubrication hole type:	Oil Groove and Holes In Outer Ring

manufacturer upc number:	7316576601668
maximum operating temperature:	392 °F