

# NTN RNU1744 cylindrical roller bearings

Welcome to 260x540x113 Size (mm) 260 Bore Diameter (mm) the NTN RNU1744 cylindrical roller bearings online seller.

Size (mm)	260x540x113
Bore Diameter (mm)	260
Outer Diameter (mm)	540
Width (mm)	113
d	260 mm
D	540 mm
T	113 mm
B	102 mm
C	85 mm
a	101,6 mm
r min.	6 mm
r1 min.	6 mm
da min.	293 mm
Da min	460 mm
Da max.	512 mm
db max.	336 mm
Db min.	487 mm
ra max.	5 mm
rb max.	5 mm
Weight	114 Kg
Basic dynamic load rating (C)	1870 kN
Basic static load rating (C0)	2640 kN
(Grease) Lubrication Speed	630 r/min

(Oil) Lubrication Speed	850 r/min
Calculation factor (e)	0,36
Calculation factor (Y0)	0,92
LangID	1
outer r	6
D_	540
TC-BET22	50
TC-BET21	3
TC-BET23	0
inner r	6
mass	114
GRS rpm	630
D_b	487
Cr	190000
TC-RA	1037
DE_	466.407
T-ALP23	0
db	336
T-ALP22	0
Prod_Type3	TRBSR_MD_A
da	302
T-ALP21	27
Iso	—
ALPHA_	13.5
SDM_	401.476
SBRG	3
D_a2	460
hidYobi	30352
Y1	1.7

D_a1	512
B_	102
hidTable	ecat_NSTPRM
Oil rpm	850
C0r	269000
Y0	0.92
TC-SLR	70
inner ra	5
outer rb	5
C0	2640
Sa	16
Sb	28
e	0.36
DA_	67.042
Z_	17
C_	85
yobi	30352
TC-DA1	69.362
TC-DA2	64.721
KBRG	3116
DI_	336.545