

# NTN SC5803 deep groove ball bearings

NTN SC5803 deep groove ball bearings Warehouse offers 100 Outer Diameter (mm) car parts and car accessories. We sell discount online as well as 65x100x18 Size (mm) cheap 65 Bore Diameter (mm) machinery parts.

Size (mm)	65x100x18
Bore Diameter (mm)	65
Outer Diameter (mm)	100
Width (mm)	18
d	65 mm
D	100 mm
B	18 mm
C	18 mm
r min.	1.1 mm
da min.	71 mm
Da max.	94 mm
ra max.	1.0 mm
Weight	0.438 Kg
Basic dynamic load rating (C)	30,5 kN
Basic static load rating (C0)	25,2 kN
(Grease) Lubrication Speed	6500 r/min
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308

Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	65MM Bore; 100MM Outside Diameter; 18MM Outer Race Width; Open; Ball Bearing; ABEC 1   ISO P0; No Fi
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	1.0048
Bore	2.559 Inch   65 Millimeter
Outer Race Width	0.709 Inch   18 Millimeter
Outside Diameter	3.937 Inch   100 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Bore Type	Cylindrical Bore
Configuration	Single Row
Bore Size	65 mm
Width	18 mm
Fillet Radius/Chamfer	1.1 mm
Dynamic Load Rating	30,500 N
Static Load Rating	25,200 N

Limiting Speed – Grease	6,700 rpm
Limiting Speed – Oil	8,000 rpm
Factor fo	15.7
Radial Clearance	0.008 to 0.028 mm
da (min)	71 mm
Da (max)	94 mm
ra (max)	1 mm