

SIGMA NU 2224 cylindrical roller bearings

SIGMA NU 2224 cylindrical roller bearings 80x110x30 Size (mm) manufacturer and global supplier of reliable ball and roller ... SIGMA NU 2224 cylindrical roller bearings Industries Products Manufacturing & Engineering and Agricultural Bearings designed to meet the 110 Outer Diameter (mm) unique 80 Bore Diameter (mm) requirements of our targeted industries.

| | |
|---------------------|--|
| Size (mm) | 80x110x30 |
| Bore Diameter (mm) | 80 |
| Outer Diameter (mm) | 110 |
| Width (mm) | 30 |
| d | 80 mm |
| D | 110 mm |
| B | 30 mm |
| Da | 99 mm |
| Db | 91 mm |
| da | 89,3 mm |
| db | 97,2 mm |
| E | 98 mm |
| F | 90 mm |
| ra max | 1 mm |
| rmin | 1 mm |
| s | 1 mm / Axial displacement |
| m | 920 g / Weight |
| Cr | 76000 N / Dynamic load rating (radial) |

| | |
|---------------------------|---|
| C0r | 172000 N / Static load rating (radial) |
| Cur | 29500 N / Fatigue limit load, radial |
| nG | 5200 1/min / Limiting speed |
| nB | 3150 1/min / Reference speed |
| Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 1.102 |
| EAN | 4012802472424 |
| Product Group | B04144 |
| Rolling Element | Needle Roller Bearing |
| Component | Complete with Outer and Inner Ring |
| Enclosure | Open |
| Self Aligning | No |
| Retainer | Yes |
| Number of Rows of Rollers | Single Row |
| Separable | Inner/Outer Ring – Both Sides |
| Closed End | No |
| Inch – Metric | Metric |
| Relubricatable | No |
| Thrust Bearing | No |
| Long Description | 80MM Bore; 110MM Outside Diameter; 30MM Width; Needle Roller Bearing; Complete with Outer and Inner |
| Other Features | Plain Inner Ring Plain Outer Ring Precision Bearing Steel Cage Ground Raceway |
| UNSPSC | 31171512 |

| | |
|--------------------------|-----------------------------|
| Harmonized Tariff Code | 8482.40.00.00 |
| Noun | Bearing |
| Keyword String | Needle |
| Manufacturer Item Number | NA080X110X30 |
| Weight / LBS | 2.029 |
| Outside Diameter | 4.331 Inch 110 Millimeter |
| Bore | 3.15 Inch 80 Millimeter |
| Width | 1.181 Inch 30 Millimeter |