

SKF 239/530 CAK/W33 spherical roller bearings

Request A Quote For N/A Minimum Buy Quantity Your Special SKF 239/530 CAK/W33 spherical roller bearings Needs 0.0 Inventory Today! Free Quotes. ISO 9001 certified.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.14
EAN	7316570707502
Product Group	M06110
Inner Race Profile	Narrow Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	M Seal
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	25MM Bore; Narrow Inner Ring; Ball Bearing; 27.2MM Length Thru Bore; 15MM Outer Race Width; 52MM Out
Inch – Metric	Metric
Other Features	Single Row Standard Duty Grub Screw Metric
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing

Keyword String	Insert
Manufacturer Item Number	YAT 205
Weight / LBS	0.309
Outer Race Width	0.591 Inch 15 Millimeter
D	52 mm
d	25 mm
bore diameter:	25 mm
radial dynamic load capacity:	3147 lbf
outside diameter:	52 mm
radial static load capacity:	1754 lbf
outer ring width:	15 mm
maximum rpm:	7000 rpm
inner ring width:	27.2 mm
seal type:	M-Seals
bore type:	Round
manufacturer product page:	Click here
locking device:	Set Screw
manufacturer upc number:	7316570707502
overall width:	27.2 mm
B	27.2 mm
C	15 mm
d1 ≈	33.74 mm
B4	5 mm
r1,2 min.	0.6 mm
s1	19.5 mm
Basic dynamic load rating C	14 kN
Basic static load rating C0	7.8 kN
Fatigue load limit Pu	0.335 kN
Limiting speed1)	7000 r/min

Calculation factor f_0	14
Mass complete bearing	0.16 kg
Thread grub screw G2	M6x0.75
Hexagonal key size for grub screw N	3 mm
Recommended tightening torque for grub screw	4 N·m
Rubber seating ring	RIS 205