

SKF 6202-RSH deep groove ball bearings

Offer 80 mm d High Quality Brand SKF 6202-RSH deep groove ball bearings .Contact Us Online to Get Best Quote. 170 mm D

d	80 mm
D	170 mm
B	39 mm
E	147 mm
F	103 mm
rs min	2.1 mm
r1s min	2.1 mm
Radial clearance class	C3
Mass (without HJ ring)	3.86 kg
Dynamic load, C	190 kN
Static load, C0	207 kN
Fatigue limit load, Cu	23.6 kN
Nlim (oil)	4,800 rpm
Nlim (grease)	4,100 rpm
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	120 °C
da min	91 mm
da max	99 mm
db min	105 mm
Da max	159 mm
ra max	2 mm
r1a max	2 mm
Inventory	0.0

Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	3.89
EAN	4547359147032
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring – Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	Plain Inner Ring 2 Rib Outer Ring Cage On Outer Ring ID
Long Description	80MM Bore; Straight Bore Profile; 170MM Outside Diameter; 39MM Width; Steel Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NU316C3
Weight / LBS	8.575

Outside Diameter	6.693 Inch 170 Millimeter
Width	1.535 Inch 39 Millimeter
Bore	3.15 Inch 80 Millimeter
bore diameter:	80 mm
precision rating:	ISO Class 0
outside diameter:	170 mm
maximum rpm:	4800 rpm
overall width:	39 mm
bearing material:	Hardened Alloy Steel
flanges:	(2) Outer Ring
cage material:	Pressed Steel
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	C3
outer ring width:	39 mm
ring separation:	Separable Inner Ring
fillet radius:	2 mm
operating temperature range:	-40 to 120 °C
series:	NU
dynamic load capacity:	190000 N
manufacturer product page:	Click here
static load capacity:	207000 N