

SKF 7028 CD/P4A angular contact ball bearings

Welcome to the SKF 7028 CD/P4A angular contact ball bearings 40 Bore Diameter (mm) online 40x78x22 Size (mm) seller.

Size (mm)	40x78x22
Bore Diameter (mm)	40
Outer Diameter (mm)	78
Width (mm)	22
d	40 mm
D	78 mm
T	22 mm
D1	42 mm
d1	78 mm
rmin	1 mm
m	0,484 kg / Weight
Ca	123000 N / Dynamic load rating (axial)
C0a	385000 N / Static load rating (axial)
Cua	39000 N / Fatigue limit load
nG	4850 1/min / Limiting speed
nB	1780 1/min / Reference speed
– K89308-TV / Allocated axial cylindrical roller and cage assembly	K89308TV / Allocated axial cylindrical roller and cage assembly
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A

Weight / Kilogram	0.58
EAN	4012802031225
Product Group	B04144
Rolling Element	Cylindrical Roller Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Polyamide
Precision Class	ABEC 1 ISO P0
Other Features	Double Row Axial Cylindrical Roller Very High Axial Load
Long Description	40MM Bore 1; 42MM Bore 2; 78MM Outside Diameter; 22MM Height; Cylindrical Roller Bearing; Single Dir
Inch – Metric	Metric
UNSPSC	31171507
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Keyword 3	Cylindrical
Keyword String	Thrust Roller Cylindrical
Manufacturer Item Number	89308TN
Weight / LBS	1.067
Bore 1	1.575 Inch 40 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Outside Diameter	3.071 Inch 78 Millimeter
Height	0.866 Inch 22 Millimeter

Bore 2	1.654 Inch 42 Millimeter
--------	----------------------------