

SKF 7040 ACD/HCP4A angular contact ball bearings

are a few brands you will 99,982 Bore Diameter (mm) find in our inventory. Find SKF 7040 ACD/HCP4A angular contact ball bearings to see what's 99.982×190.5×57.15 Size (mm) in stock!

| | |
|-------------------------------|--------------------|
| Size (mm) | 99.982×190.5×57.15 |
| Bore Diameter (mm) | 99,982 |
| Outer Diameter (mm) | 190,5 |
| Width (mm) | 57,15 |
| d | 99,982 mm |
| D | 190,5 mm |
| T | 57,15 mm |
| B | 57,531 mm |
| C | 46,038 mm |
| ra1 max. | 3,3 mm |
| a | 42,3 mm |
| r min. | 6,4 mm |
| r1 min. | 3,3 mm |
| Da | 171 mm |
| db | 114 mm |
| ra max. | 6,4 mm |
| da | 126 mm |
| Db | 179 mm |
| Weight | 6,92 Kg |
| Basic dynamic load rating (C) | 390 kN |
| Basic static load rating (C0) | 520 kN |
| (Grease) Lubrication Speed | 1900 r/min |

| | |
|-------------------------|-------------------|
| (Oil) Lubrication Speed | 2600 r/min |
| Calculation factor (e) | 0,33 |
| Calculation factor (Y0) | 0,99 |
| LangID | 1 |
| ALP23 | 0 |
| outer r | 3.3 |
| ALP22 | 10 |
| D_ | 190.5 |
| ALP21 | 25 |
| SHOG_yobi | HH221447/HH221410 |
| RAr | 408.178 |
| inner r | 6.4 |
| GRS rpm | 1900 |
| D_b | 179 |
| D_a | 171 |
| DE_ | 168.277 |
| SLR | 43 |
| Prod_Type3 | TRBSR_ID_A |
| BETA_ | 1 |
| ALPHA_ | 12.583 |
| SDM_ | 145.354 |
| DA1 | 24.929 |
| DA2 | 22.314 |
| hidYobi | HH221447/HH221410 |
| Y1 | 1.8 |
| B_ | 57.531 |
| Oil rpm | 2600 |
| hidTable | ecat_NSTPRI |
| Y0 | 0.99 |

| | |
|----------|-------------------|
| inner ra | 6.4 |
| outer rb | 3.3 |
| C0 | 520 |
| CUP | 2.24 |
| e | 0.33 |
| DA_ | 23.628 |
| BET21 | 3 |
| BET22 | 30 |
| BET23 | 0 |
| Z_ | 15 |
| C_ | 46.038 |
| yobi | HH221447/HH221410 |
| KBRG | 3161 |
| CONE | 4.68 |
| DI_ | 121.995 |