

SKF 71907 CE/P4A angular contact ball bearings

Various 110 mm d types and sizes to accommodate your SKF 71907 CE/P4A angular contact ball bearings requirements.

| | |
|---|-----------|
| d | 110 mm |
| D | 200 mm |
| B | 53 mm |
| E | 180.5 mm |
| F | 132.5 mm |
| D1 | 173.8 mm |
| rs min | 2.1 mm |
| r1s min | 2.1 mm |
| Radial clearance class | CN |
| Mass (without HJ ring) | 6.73 kg |
| Dynamic load, C | 389 kN |
| Static load, C0 | 526 kN |
| Fatigue limit load, Cu | 56.1 kN |
| Nref | 2,800 rpm |
| Nlim | 4,000 rpm |
| Min operating temperature, Tmin | -20 °C |
| Max operating temperature, Tmax | 120 °C |
| Characteristic cage frequency, FTF | 0.42 Hz |
| Characteristic rolling element frequency, BSF | 6.37 Hz |
| Characteristic outer ring frequency, BPF0 | 7.2 Hz |
| Characteristic inner ring frequency, BRFI | 9.8 Hz |
| da min | 121 mm |
| da max | 130 mm |

| | |
|---------|--------|
| Da max | 189 mm |
| ra max | 2 mm |
| r1a max | 2 mm |