

# SKF BT1-0516 tapered roller bearings

Various types and 0.0 Inventory sizes N/A Minimum Buy Quantity to accommodate your SKF BT1-0516 tapered roller bearings requirements.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	40.38
EAN	0013992048370
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	16 Millimeter
Relubricatable	Yes
Insert Part Number	MSE303BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	4 Bolt Round Flange Block; 3-3/16" Bore; 11.9" Bolt Circle; 2 Piece Split; Clamp Collar Mo

Other Features	Single Row   Wide Inner Ring   Medium Duty
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Weight / LBS	88.95
D	3.531 Inch   89.7 Millimeter
d	3.188 Inch   80.975 Millimeter
Nominal Bolt Circle Diameter Round	11.9 Inch   302 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
Bolt Spacing	8.4 Inch   213.5 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Shaft Size	3-3/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Round Flange
Series Type	Medium Series
Bolt Size	4 x M16
Bearing – Housing – Seal	MSE303BXHATL
Bearing – Housing – Seal UPC	013992060860
Bearing UPC	013992032126
Dimension T	14.0 in
Dimension R	11.9 in
Dimension P	0.7 in
Dimension H	3.4 in
Dimension N	9.625 in
Dimension V	0.1 in

Dimension L	6.4 in
Cr – Dynamic Load Rating	66768 lbf
Cor – Static Load Rating	79358 lbf
Maximum Speed	2520 rpm
Note	This product line was formerly known as “Revolvo”