

SKF C 3232 cylindrical roller bearings

Manufacturers of all are represented in our partial list of clients. Contact 65 mm d 120 mm D Gary for 31 mm B a complete SKF C 3232 cylindrical roller bearings list of clients and projects.

d	65 mm
D	120 mm
B	31 mm
C	27 mm
T	32.75 mm
d1	91.1 mm
a	27.4 mm
rs min	2 mm
r1s min	1.5 mm
e	0.4
Y2	1.48
Y0	0.81
Mass	1.56 kg
ISO 355 reference	T3EC065
Dynamic load, C	169 kN
Rating life coefficient, A2	1
Static load, C0	222 kN
Fatigue limit load, Cu	27.1 kN
Nref	3,500 rpm
Nlim	5,900 rpm
Min operating temperature, Tmin	-40 °C

Max operating temperature, Tmax	120 °C
Characteristic cage frequency, FTF	0.43 Hz
Characteristic rolling element frequency, BSF	6.34 Hz
Characteristic outer ring frequency, BPF0	8.09 Hz
Characteristic inner ring frequency, BRFI	10.91 Hz
da max	75 mm
db min	75 mm
Da min	104 mm
Da max	111.5 mm
Db min	115 mm
Ca min	4 mm
Cb min	5.5 mm
ra max	2 mm
r1a max	1.5 mm