

# SKF C30/900KMB cylindrical roller bearings

Enjoy SKF Manufacturer Name High Margins on Competitive 0.0 Inventory Pricing.Great Wholesale Products at Low Costs. N/A Minimum Buy Quantity

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0
EAN	7316571458496
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7   ISO P4
Material – Ball	Ceramic
Number of Bearings	3 (1 Triplex Set)
Contact Angle	15 Degree
Preload	Extra Light
Raceway Style	1 Rib Outer Ring
Cage Material	Phenolic
Rolling Element	Ball Bearing
Mounting Arrangement	Triplex-Tandem and Back to Back
Flush Ground	Yes
Inch – Metric	Metric
Other Features	Single Row   Angular Contact   High Capacity Basic Design

Long Description	75MM Bore; 115MM Outside Diameter; 60MM Width; Open Enclosure; ABEC 7   ISO P4 Precision; Ceramic Ba
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Ball Angular Contact
Manufacturer Item Number	7015 CD/HCP4ATBTA
Weight / LBS	3.68
D	4.528 Inch   115 Millimeter
B	2.362 Inch   60 Millimeter
d	2.953 Inch   75 Millimeter
bore diameter:	75 mm
radial static load capacity:	49 kN
outside diameter:	115 mm
maximum rpm (grease):	14000 rpm
overall width:	20 mm
maximum rpm (oil):	22000 rpm
contact angle:	15 °
bearing material:	Steel
duplex type:	Duplex Universal
cage material:	Cotton Fabric Reinforced Phenolic
closure type:	Open
fillet radius:	1.1 mm
precision rating:	P4
series:	70
operating temperature range:	300 °F
manufacturer product page:	<a href="#">Click here</a>

radial dynamic load capacity:	52.7 kN
manufacturer upc number:	7316571458496