

SKF D/W R133-2ZS deep groove ball bearings

offers a SKF D/W R133-2ZS deep groove ball bearings selection 95 Outer Diameter (mm) of Genuine 170x95x32 Size (mm) at Wholesale Prices. We are a SKF D/W R133-2ZS deep groove ball bearings Certified Parts Retailer

Size (mm)	170x95x32
Bore Diameter (mm)	170
Outer Diameter (mm)	95
Width (mm)	32
d	95 mm
D	170 mm
B	32 mm
d1	118.25 mm
D2	151.3 mm
r1,2 – min.	2.1 mm
da – min.	107 mm
Da – max.	158 mm
ra – max.	2 mm
Basic dynamic load rating – C	114 kN
Basic static load rating – C0	81.5 kN
Fatigue load limit – Pu	3 kN
Reference speed	8000 r/min
Limiting speed	5000 r/min
Calculation factor – kr	0.025
Calculation factor – f0	14.4
Inventory	0.0

Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	2.62
EAN	7316576618765
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	95MM Bore; 170MM Outside Diameter; 32MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Fi
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6219
Weight / LBS	5.772
Outside Diameter	6.693 Inch 170 Millimeter
Bore	3.74 Inch 95 Millimeter
Outer Race Width	1.26 Inch 32 Millimeter
Inner Race Width	0 Inch 0 Millimeter
bore diameter:	95 mm

static load capacity:	81.5 kN
outside diameter:	170 mm
precision rating:	Not Rated
overall width:	32 mm
finish/coating:	Uncoated
bore type:	Round
cage material:	Steel
closure type:	Open
outer ring width:	32 mm
row type & fill slot:	Single Row Non-Fill Slot
fillet radius:	2 mm
snap ring included:	Without Snap Ring
maximum rpm:	5000 RPM
internal clearance:	C0
series:	62
dynamic load capacity:	114 kN
d1 ≈	118.25 mm
D2 ≈	151.3 mm
r1,2 min.	2.1 mm
da min.	107 mm
Da max.	158 mm
ra max.	2 mm
Basic dynamic load rating C	114 kN
Basic static load rating C0	81.5 kN
Fatigue load limit Pu	3 kN
Calculation factor kr	0.025
Calculation factor f0	14.4
Mass bearing	2.63 kg