

# SKF GX 25 F plain bearings

SKF GX 25 F plain bearings Industries and Applications Imperial Design Units ? We sell discount online as well as cheap 25878 Cone Part Number machinery parts.

Cone Part Number	25878
Design Units	Imperial
Cage Type	Stamped Steel
C1 – Dynamic Radial Rating (Two-Row, 1 million revolutions) <sup>1</sup>	33300 lbf
C90(2) – Dynamic Radial Rating (Two-Row, 90 million revolutions) <sup>2</sup>	8640 lbf
d	1.3750 in
B – Cone Width	0.9688 in
R – Cone Backface To Clear Radius <sup>3</sup>	0.14 in
da – Cone Frontface Backing Diameter	1.59 in
db – Cone Backface Backing Diameter	1.85 in
Ab – Cage-Cone Frontface Clearance	0.09 in
Aa – Cage-Cone Backface Clearance	0.02 in
a – Effective Center Location <sup>4</sup>	-0.32 in
C90 – Dynamic Radial Rating (90 million revolutions) <sup>5</sup>	4960 lbf
C1 – Dynamic Radial Rating (1 million revolutions) <sup>6</sup>	19100 lbf
C0 – Static Radial Rating	21900 lbf
Ca90 – Dynamic Thrust Rating (90 million revolutions) <sup>7</sup>	2460 lbf
K – Factor <sup>8</sup>	2.01
G1 – Heat Generation Factor (Roller-Raceway)	26.4

G2 – Heat Generation Factor (Rib-Roller End)	10.9
Cg – Geometry Factor	0.0695