

SKF LBBR 16-2LS linear bearings

SKF LBBR 16-2LS linear bearings 0.0 Inventory Manufacturers , Online Wholesale Suppliers ! SKF Manufacturer Name

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	1.839
EAN	7316571551692
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX2310 (Specify bore)
Withdrawal Nut	KM11
Inch – Metric	Metric
Long Description	50MM Tapered Bore; 110MM Outside Diameter; 40MM Width; C3-Loose Clearance; Adapter Mount; Double Row
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available

UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	4.05
D	4.331 Inch 110 Millimeter
Adapter Part Number	SNW110 H2310 HA2310 HE2310 (Specify bore) Inch H2310 (Specify bore) Millimeter
B	1.575 Inch 40 Millimeter
d	1.969 Inch 50 Millimeter
bore diameter:	50 mm
maximum rpm:	6300 RPM
outside diameter:	110 mm
operating temperature range:	Maximum of +390 °F
overall width:	40 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	40 mm
dynamic load capacity:	220 kN
fillet radius:	2 mm

static load capacity:	224 kN
series:	223