

SKF N 1011 KTN/HC5SP cylindrical roller bearings

SKF N 1011 KTN/HC5SP cylindrical roller bearings Engineering Calculator 75 Bore Diameter (mm) , 75x160x58 Size (mm) Manufacturing Service . Get 160 Outer Diameter (mm) Your Free.

Size (mm)	75x160x58
Bore Diameter (mm)	75
Outer Diameter (mm)	160
Width (mm)	58
d	75 mm
D	160 mm
T	58 mm
B	55 mm
C	45 mm
a	38,9 mm
r min.	3 mm
r1 min.	2,5 mm
da min.	96 mm
Da min	134 mm
Da max.	148 mm
db max.	91 mm
Db min.	149 mm
ra max.	2,5 mm
rb max.	2 mm
Weight	5,31 Kg
Basic dynamic load rating (C)	340 kN
Basic static load rating (C0)	445 kN

(Grease) Lubrication Speed	2400 r/min
(Oil) Lubrication Speed	3200 r/min
Calculation factor (e)	0,35
Calculation factor (Y0)	0,96
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B04334
LangID	1
outer r	2.5
D_	160
TC-BET22	0
TC-BET21	4
TC-BET23	0
inner r	3
mass	5.31
GRS rpm	2400
D_b	149
Cr	35000
TC-RA	328.115
DE_	138.237
T-ALP23	20
db	91
T-ALP22	54
Prod_Type3	TRBSR_MD_A
da	96
T-ALP21	25
Iso	2GD

ALPHA_	12.953
SDM_	117.169
SBRG	23
D_a2	134
hidYobi	HR32315J
Y1	1.7
D_a1	148
B_	55
hidTable	ecat_NSTPRM
Oil rpm	3200
C0r	45500
Y0	0.96
TC-SLR	38.5
inner ra	2.5
outer rb	2
C0	445
Sa	4
Sb	13
e	0.35
DA_	21.564
Z_	16
C_	45
yobi	HR32315J
TC-DA1	22.901
TC-DA2	20.227
KBRG	3111
DI_	96.101