

SKF N 226 ECP thrust ball bearings

What are the types of SKF N 226 ECP thrust ball bearings ?
Manufacturing Service . Get Your 40 Bore Diameter (mm) Free,
Instant 40x80x30.2 Size (mm) price, design review.

Size (mm)	40x80x30.2
Bore Diameter (mm)	40
Outer Diameter (mm)	80
Width (mm)	30.2
d	40 mm
D	80 mm
B	30.2 mm
C	30.2 mm
a	39.2 mm
r min.	1.1 mm
da min.	47 mm
da max	49.5 mm
Da max.	73 mm
ra max.	1 mm
Weight	0.570 Kg
Basic dynamic load rating (C)	44.4 kN
Basic static load rating (C0)	33.6 kN
(Grease) Lubrication Speed	5000 r/min
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.665

Product Group	B00152
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	24 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	40MM Bore; 80MM Outside Diameter; 30.2MM Width; Open; No Flush Ground; Ball Bearing; Double Row of B
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Outside Diameter	3.15 Inch 80 Millimeter
Bore	1.575 Inch 40 Millimeter
Width	1.189 Inch 30.2 Millimeter
Bearing No.	5208
r(min)	1.1
Cr	55.5
C0r	33.6
Cu	1.75
Grease lub.	5000

Oil lub.	6700
da(min)	47
da(max)	–
Da(max)	73
ra(max)	1
(Refer.)Mass(kg)	0.570