

SKF NJ 202 ECP thrust ball bearings

SKF NJ 202 ECP thrust ball bearings Product SKF Manufacturer Name Brochures , Manufacturing Service . Get Your 0.0 Inventory Free.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.16
EAN	7316577030276
Product Group	B04286
Stud Profile	Female
Mounting Thread	M14 X 2
Thread Direction	Left Hand
Rolling Element	Spherical Plain
Material – Outer Member	Steel
Material – Ball	Steel
Material – Liner	Plastic Teflon
Relubricatable	No
Enclosure	Open
Other Features	2 Piece Zinc Plated Outer Self Lubricating Maintenance Free
Long Description	14MM Bore; 13.5MM House Width; Female Stud Profile; M14 X 2; Left Hand Thread Direction; Spherical P
Inch – Metric	Metric

UNSPSC	31171508
Harmonized Tariff Code	8483.30.80.55
Noun	Bearing
Keyword 3	Rod End
Keyword String	Plain Spherical Rod End
Manufacturer Item Number	SILKB 14 F
Weight / LBS	0.353
d	14 mm
Ball Width	0.748 Inch 19 Millimeter
Housing Width	0.531 Inch 13.5 Millimeter
bore diameter:	14 mm
ball material:	Steel
misalignment angle:	16 °
race material:	PTFE Composite
shank thread length:	21 mm
radial static load capacity:	27.5 kN
rod end type:	Female Threaded
operating temperature range:	-40 to +75 °F
shank thread size:	M14
head diameter:	37 mm
thread direction:	Left Hand
head width:	13.5 mm
grade:	Commercial/Industrial
ball width:	19 mm
lubrication type:	Maintenance Free/Self-Lubricating
length to ball center:	57 mm
housing material:	Zinc-Plated Steel

standards met:	ISO 12240-4:1998, ISO 965-1:1998
d2 max.	37 mm
B	19 mm
G	M 14
C1 max.	14.5 mm
h1	57 mm
α	16 °
dk	25.4 mm
d3 ≈	20 mm
d4 max.	27 mm
l3 min.	21 mm
l4 max.	77 mm
l5 ≈	8 mm
l7 min.	18 mm
w	22 mm
r1 min.	0.3 mm
Basic dynamic load rating C	17 kN
Basic static load rating C0	27.5 kN
Specific dynamic load factor K	50 N/mm ²
Material constant KM	530
Mass rod end	0.16 kg