

SKF NJ 2234 ECML thrust ball bearings

With over 10170 full-service stores, our SKF NJ 2234 ECML thrust ball bearings inventory is extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity by saving time and your hard-earned dollars.
9x26x8 Size (mm)

Size (mm)	9x26x8
Bore Diameter (mm)	9
Outer Diameter (mm)	26
Width (mm)	8
d	9 mm
D	26 mm
B	8 mm
C	8 mm
r min.	0,6 mm
da min.	13 mm
Da max.	22 mm
ra max.	0,6 mm
Weight	0,021 Kg
Basic dynamic load rating (C)	4,15 kN
Basic static load rating (C0)	0,895 kN
(Grease) Lubrication Speed	26 000 r/min
(Oil) Lubrication Speed	30 000 r/min
Calculation factor (e)	0,32
Calculation factor (Y0)	2,1
Calculation factor (Y2)	3,1

SRI	2.08
Y3	2
hidYobi	129
LangID	1
PCD	17.5
D_	26
Y2	3.1
SREX	0
cyl count	10
B_	8
hidTable	ecat_NSSAB
Oil rpm	30000
SRE	0
Y0	2.1
mass	0.021
ra	0.6
GRS rpm	26000
SRIX	0.03
groove inner	13.526
D_a	22
SRIN	0
C0	0.895
groove outer	21.856
SREN	0
X0	1
Prod_Type3	SABB_SA_CB
X1	1
da	13
X2	0.65

e	0.32
yobi	129
r	0.6
KBRG	1352
CAng	11.938
cyl dia	3.969