

# SKF NU 2256 ECMA thrust ball bearings

LET OUR SKF NU 2256 ECMA thrust ball bearings EXPERTS GET YOU THE PARTS YOU NEED. 25x52x15 Size (mm)

Size (mm)	25x52x15
Bore Diameter (mm)	25
Outer Diameter (mm)	52
Width (mm)	15
d	25 mm
D	52 mm
B	15 mm
C	15 mm
r min.	1 mm
da min.	30 mm
Da max.	47 mm
ra max.	1 mm
Weight	0,14 Kg
Basic dynamic load rating (C)	12,2 kN
Basic static load rating (C0)	3,3 kN
(Grease) Lubrication Speed	12 000 r/min
(Oil) Lubrication Speed	14 000 r/min
Calculation factor (e)	0,28
Calculation factor (Y0)	2,4
Calculation factor (Y2)	3,5
SRI	3.75
Y3	2.3
hidYobi	1205

LangID	1
PCD	38
D_	52
Y2	3.5
SREX	0
cyl count	12
B_	15
hidTable	ecat_NSSAB
Oil rpm	14000
SRE	0
Y0	2.4
mass	0.14
ra	1
GRS rpm	12000
SRIX	0.04
groove inner	30.85
D_a	47
SRIN	0
C0	3.3
groove outer	45.783
SREN	0
X0	1
Prod_Type3	SABB_SA_CB
X1	1
da	30
X2	0.65
e	0.28
yobi	1205
r	1

KBRG	1352
CAnG	10.437
cyl dia	7.144