

SKF PCM 100105115 E plain bearings

SKF PCM 100105115 E plain bearings Warehouse 45 Outer Diameter (mm) offers car parts and car accessories. We sell discount online as well as 85x45x19 Size (mm) cheap machinery parts.

| | |
|-------------------------------|------------|
| Size (mm) | 85x45x19 |
| Bore Diameter (mm) | 85 |
| Outer Diameter (mm) | 45 |
| Width (mm) | 19 |
| d | 45 mm |
| D | 85 mm |
| B | 19 mm |
| d1 | 57.6 mm |
| D2 | 75.19 mm |
| r1,2 – min. | 1.1 mm |
| da – min. | 52 mm |
| da – max. | 57.5 mm |
| Da – max. | 78 mm |
| ra – max. | 1 mm |
| Basic dynamic load rating – C | 35.1 kN |
| Basic static load rating – C0 | 21.6 kN |
| Fatigue load limit – Pu | 0.915 kN |
| Limiting speed | 5000 r/min |
| Calculation factor – kr | 0.025 |
| Calculation factor – f0 | 14.2 |
| Inventory | 0.0 |
| Manufacturer Name | SKF |

| | |
|---------------------------------|--|
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.424 |
| EAN | 7316577737847 |
| Product Group | B00308 |
| Enclosure | 1 Seal |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Internal Special Features | No |
| Cage Material | Steel |
| Enclosure Type | Contact Seal |
| Internal Clearance | C0-Medium |
| Inch – Metric | Metric |
| Long Description | 45MM Bore; 85MM Outside Diameter; 19MM Outer Race Diameter; 1 Seal; Ball Bearing; ABEC 1 ISO P0; N |
| UNSPSC | 31171504 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Ball |
| Manufacturer Item Number | 6209-RS1 |
| Weight / LBS | 0.93 |
| Outer Race Width | 0.748 Inch 19 Millimeter |
| Outside Diameter | 3.346 Inch 85 Millimeter |
| Bore | 1.772 Inch 45 Millimeter |
| d1 ≈ | 57.6 mm |
| D2 ≈ | 75.19 mm |
| r1,2 min. | 1.1 mm |

| | |
|---|----------|
| da min. | 52 mm |
| da max. | 57.5 mm |
| Da max. | 78 mm |
| ra max. | 1 mm |
| Basic dynamic load rating C | 35.1 kN |
| Basic static load rating C ₀ | 21.6 kN |
| Fatigue load limit P _u | 0.915 kN |
| Calculation factor k _r | 0.025 |
| Calculation factor f ₀ | 14.2 |
| Mass bearing | 0.42 kg |