

SKF PCZ 2816 E plain bearings

YOU'LL FIND AN EXTENSIVE 90x190x43 Size (mm) 190 Outer Diameter (mm) SELECTION 90 Bore Diameter (mm) OF SKF PCZ 2816 E plain bearings FOR SALE.

Size (mm)	90x190x43
Bore Diameter (mm)	90
Outer Diameter (mm)	190
Width (mm)	43
d	90 mm
D	190 mm
B	43 mm
C	43 mm
r min.	3 mm
da min.	104 mm
da max	115 mm
Da min	152 mm
Da max.	176 mm
ra max.	2,5 mm
Weight	6,1 Kg
Basic dynamic load rating (C)	330 kN
Basic static load rating (C0)	450 kN
(Grease) Lubrication Speed	2600 r/min
(Oil) Lubrication Speed	3400 r/min
Calculation factor (e)	0,24
Calculation factor (Y0)	2,8
Calculation factor (Y2)	4,3
Inventory	0.0

Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	6.2
EAN	0029176410956
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Inch – Metric	Metric
Long Description	90MM Straight Bore; 190MM Outside Diameter; 43MM Width; C0-Medium Clearance; Shaft Mount; Double Row
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer Item Number	21318EAE4
Weight / LBS	0
Adapter Part Number	Not Applicable Inch Not Applicable Millimeter
Outside Diameter	7.48 Inch 190 Millimeter
Bore	3.543 Inch 90 Millimeter
Width	1.693 Inch 43 Millimeter

Y3	2.9
hidYobi	21318EAE4
LangID	1
Y1	2.9
D_	190
Y2	4.3
Macha rpm	4500
B_	43
da min	104
hidTable	ecat_NSSPHR
Oil rpm	3600
Y0	2.8
mass	6.1
GRS rpm	2800
ra	2.5
TSR rpm	3600
C0	450
DE_	155.103
X0	1
Prod_Type3	SRB_CTB_CB
X1	1
X2	0.67
SIR	17.22
e	0.24
DA_	19.3
bomp	21318EAE4
Z_	20
ALP2	55
ALP1	8

ALP3	0
D_a max	176
D_a min	152
yobi	21318EAE4
HPS	HPS
ALPHA_	0.156
SDM_	136.036
r	3
KBRG	2328
SBRG	3
DI_	116.969