

# SKF SALKAC6M plain bearings

170 Million used SKF SALKAC6M plain bearings instantly searchable. Shop our large selection 20 Bore Diameter (mm) of parts based on brand, price, description, and location. Order the with stock ...

Bore Diameter (mm)	20
d	20 mm
U	21,5 mm
Thread (Q)	M6
Z	62 mm
d3	33 mm
A	17 mm
A1	8 mm
B1	31 mm
H	100 mm
J	78 mm
N	9 mm
S	2 mm
A2	2 mm
Weight	0,53 Kg
Basic dynamic load rating (C)	12,8 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.53
EAN	4012802837667
Product Group	M06110
Number of Mounting Holes	4

Mounting Method	Eccentric Collar
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	9 Millimeter
Relubricatable	Yes
Insert Part Number	GRAE20NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Metric
Long Description	4 Bolt Round Flange Cartridge; 20MM Bore; 78MM Bolt Circle; 55.1MM Bolt Spacing; 1 Piece Solid; Ecce
Other Features	Single Row   Centering Spigot   With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	PME20N
Weight / LBS	1.169
Length Thru Bore	1.22 Inch   31 Millimeter
Cartridge Pilot Depth	0.276 Inch   7 Millimeter
Bolt Spacing	2.2 Inch   55.1 Millimeter
Bore	0.787 Inch   20 Millimeter
Nominal Bolt Circle Diameter Round	3.1 Inch   78 Millimeter

Cartridge Pilot Diameter	2.441 Inch   62 Millimeter
--------------------------	----------------------------