

SKF SYNT 75 FW bearing units

How do 0.0 Inventory you find the SKF SYNT 75 FW bearing units specification? Manufacturers TIMKEN Manufacturer Name Online Free check

| | |
|---------------------------|---|
| Inventory | 0.0 |
| Manufacturer Name | TIMKEN |
| Minimum Buy Quantity | N/A |
| Weight | 5.459 lb |
| EAN | 0087796265608 |
| Product Group | M06110 |
| Number of Mounting Holes | 2 |
| Mounting Method | Set Screw |
| Housing Style | 2 Bolt Pillow Block |
| Rolling Element | Ball Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 12 Millimeter |
| Relubricatable | Yes |
| Insert Part Number | GYE40KRRB |
| Seals | Double Land Riding Rubber Contact |
| Housing Configuration | 1 Piece Solid |
| Inch – Metric | Metric |
| Other Features | Single Row Spherical Normal Duty High Base Black Housing Powder Coated Epoxy Finish |

| | |
|-------------------------------|--|
| Long Description | 2 Bolt Pillow Block; 40MM Bore; 49.2MM Base to Center Height; Set Screw Mount; Ball Bearing; 110.3MM |
| UNSPSC | 31171511 |
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Pillow Block |
| Manufacturer Item Number | YAS 40 SGT |
| Weight / LBS | 5.569 |
| Nominal Bolt Center to Center | 5.4 Inch 136 Millimeter |
| Bolt Spacing Maximum | 6.406 Inch 162.7Millimeter |
| Actual Bolt Center to Center | 0 Inch 0Millimeter |
| Bolt Spacing Minimum | 4.343 Inch 110.3Millimeter |
| d | 1.575 Inch 40 Millimeter |
| B | 1.937 Inch 49.2 Millimeter |
| D | 1.937 Inch 49.2 Millimeter |
| Shaft Size d | 1.575 in |
| Bearing Type | Ball Bearing |
| Inside Ring Outside Diameter | 2.058 in |
| Dimension T | 1.016 in |
| Dimension D1 | 2.059 in |
| Series | Industrial |
| Seal Type | Shroud Seal |
| Base to Center Height H | 49.21 mm |
| Total Length L | 179.4 mm |
| Total Width A | 2.031 in |
| Bolt Hole Spacing J | 136.5 mm |
| Bolt Hole Width N | 14.3 mm |

| | |
|------------------------------|-------------------------------------|
| Bolt Hole Length N1 | 26.2 mm |
| Foot Height H1 | 19.1 mm |
| Total Height H2 | 101.6 mm |
| Dimension L1 | 59.8 mm |
| Inside Ring Width B | =Bearings1_Inside Ring Width= mm |
| Center of Bearing from End S | 19 mm |
| Dimension B1 | 1.937 in |
| Static Load Rating | 4460 lbf |
| Dynamic Load Rating | 8130 lbf |