

SL04150-PP INA 150x210x80mm Outside Diameter 8.268 Inch | 210 Millimeter Cylindrical roller bearings

| | |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| Bearing number | SL04150-PP |
| Size (mm) | 150x210x80 |
| Brand | INA |
| Bore Diameter (mm) | 150 |
| Outer Diameter (mm) | 210 |
| Width (mm) | 80 |
| d | 150 mm |
| D | 210 mm |
| B | 80 mm |
| | 30 ° / Chamfer angle |
| C | 79 mm |
| C ₁ | 71.2 mm / Tolerance: +0.2 |
| C _{a1} – 65 mm / Mounting dimension for snap ring WRE / Tolerance: -0,2 | 65 mm / Mounting dimension for snap ring WRE / Tolerance: 0.2 |
| C _{a2} – 61 mm / Mounting dimension for retaining ring to DIN 471 / Tolerance: -0,2 | 61 mm / Mounting dimension for retaining ring to DIN 471 / Tolerance: 0.2 |
| D ₁ | 206 mm / Tolerance: +0.2 |
| d ₁ | 174.4 mm |
| d ₂ | 185 mm |

| | |
|---------------------------|---------------------------------------------------|
| d_3 | 226 mm / Outside diameter of snap ring WRE |
| m | 5.2 mm |
| r_{min} | 0.6 mm |
| t | 1.8 mm |
| X | 64 mm / Distance between rolling elements |
| m | 8.4 kg / Weight |
| C_r | 465000 N / Dynamic load rating (radial) |
| C_{0r} | 920000 N / Static load rating (radial) |
| C_{ur} | 117000 N |
| $n_{G\ Fett}$ | 700 1/min / Limiting speed for grease lubrication |
| | WRE210 / Designation for snap ring WRE |
| Category | Cylindrical Roller Bearings |
| BDI Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 10.059 |
| Product Group – BDI | B04144 |
| Bore Profile | Straight |
| Cage Material | None |
| Precision Class | RBEC 1 ISO P0 |
| Number of Rows of Rollers | Double Row |
| Separable | No |
| Rolling Element | Cylindrical Roller Bearing |

| | |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Profile | Complete with Outer and Inner Ring |
| Snap Ring | Yes |
| Internal Clearance | C0-Medium |
| Retainer | No |
| Relubricatable | Yes |
| Inch – Metric | Metric |
| Other Features | Full Complement 3 Rib Inner Ring 1 Rib Outer Ring Seals on Both Sides Operating Temperature From -20 to 80 Deg |
| Long Description | 150MM Bore; Straight Bore Profile; 210MM Outside Diameter; 80MM Width; RBEC 1 ISO P0; Double Row; Not Separable; Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer |
| Category – BDI | Cylindrical Roller Bearing |
| UNSPSC | 31171547 |
| Harmonized Tariff Code | 8482.50.00.00 |
| Noun | Bearing |
| Manufacturer URL | http://www.ina.com |
| Manufacturer Item Number | SL04150PP |
| Weight / LBS | 22.176 |
| Outside Diameter | 8.268 Inch 210 Millimeter |
| Width | 3.15 Inch 80 Millimeter |
| Bore | 5.906 Inch 150 Millimeter |