

SL182917 INA 85x120x22mm Width 0.866 Inch | 22 Millimeter Cylindrical roller bearings

| | |
|---------------------|--|
| Bearing number | SL182917 |
| Size (mm) | 85x120x22 |
| Brand | INA |
| Bore Diameter (mm) | 85 |
| Outer Diameter (mm) | 120 |
| Width (mm) | 22 |
| d | 85 mm |
| D | 120 mm |
| B | 22 mm |
| D ₁ | 105 mm |
| d ₁ | 96.4 mm |
| E | 109.58 mm |
| r _{min} | 1.1 mm |
| s | 1 mm / Axial displacement |
| m | 0.81 kg / Weight |
| C _r | 118000 N / Dynamic load rating (radial) |
| C _{0r} | 159000 N / Static load rating (radial) |
| C _{ur} | 25500 N / Fatigue limit load. radial |
| n _G | 3300 1/min / Limiting speed |
| Category | Cylindrical Roller Bearings |

| | |
|---------------------------|---|
| BDI Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.958 |
| EAN | 4012802845105 |
| Product Group – BDI | B04144 |
| Bore Profile | Straight |
| Cage Material | None |
| Precision Class | RBEC 1 ISO P0 |
| Number of Rows of Rollers | Single Row |
| Separable | No |
| Rolling Element | Cylindrical Roller Bearing |
| Profile | Complete with Outer and Inner Ring |
| Snap Ring | No |
| Internal Clearance | C0-Medium |
| Retainer | No |
| Relubricatable | Yes |
| Inch – Metric | Metric |
| Other Features | Full Complement 2 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg |
| Long Description | 85MM Bore; Straight Bore Profile; 120MM Outside Diameter; 22MM Width; RBEC 1 ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer |
| Category – BDI | Cylindrical Roller Bearing |
| UNSPSC | 31171547 |

| | |
|--------------------------|---|
| Harmonized Tariff Code | 8482.50.00.00 |
| Noun | Bearing |
| Manufacturer URL | http://www.ina.com |
| Manufacturer Item Number | SL182917 |
| Weight / LBS | 2.112 |
| Outside Diameter | 4.724 Inch 120 Millimeter |
| Bore | 3.346 Inch 85 Millimeter |
| Width | 0.866 Inch 22 Millimeter |