

# SNFA BS 50/100 /S 7P62U thrust ball bearings

Enjoy High Margins 85x150x28 Size (mm) on Competitive Pricing.Great Wholesale Products at 85 Bore Diameter (mm) Low Costs.

Size (mm)	85x150x28
Bore Diameter (mm)	85
Outer Diameter (mm)	150
Width (mm)	28
d	85 mm
D	150 mm
B	28 mm
C	28 mm
r min.	2 mm
da min.	94 mm
da max	102 mm
Da max.	141 mm
ra max.	2 mm
Weight	1,76 Kg
Basic dynamic load rating (C)	84 kN
Basic static load rating (C0)	62 kN
(Grease) Lubrication Speed	4 300 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	1.77
EAN	0029176015670

Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	85MM Bore; 150MM Outside Diameter; 28MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6217ZZ
Weight / LBS	1.77
Outside Diameter	5.906 Inch   150 Millimeter
Outer Race Width	1.102 Inch   28 Millimeter
Bore	3.346 Inch   85 Millimeter
SRI	10.68
hidYobi	6217ZZ
LangID	1
D_	150
SREX	0.04
B_	28
da min	94

hidTable	ecat_NSRDGB
SRE	10.68
mass	1.76
GRS rpm	4300
ra	2
SRIX	0.04
D_a	141
SRIN	-0.04
C0	62
fo	14.5
SREN	-0.04
DE_	138.138
Prod_Type3	DGBB_SR_ZZ
DA_	20.638
bomp	0
Z_	10
yobi	6217ZZ
C_conv	84000
ALPHA_	0
SDM_	117.5
r	2
KBRG	6141
SBRG	2
DI_	96.862