

SNFA BSQU 250 TDT thrust ball bearings

are a few 160 Outer Diameter (mm) brands you will find in our inventory. Find SNFA BSQU 250 TDT thrust ball bearings to 105 Bore Diameter (mm) see what's 105x160x43 Size (mm) in stock!

Size (mm)	105x160x43
Bore Diameter (mm)	105
Outer Diameter (mm)	160
Width (mm)	43
d	105 mm
D	160 mm
T	43 mm
B	43 mm
C	34 mm
ra1 max.	2 mm
a	31 mm
r min.	2,5 mm
r1 min.	2 mm
da min.	117 mm
Da min	145 mm
Da max.	150 mm
db max.	116 mm
Db min.	153 mm
ra max.	2 mm
Sa	7 mm
Sb	9 mm
Weight	3 Kg

Basic dynamic load rating (C)	245 kN
Basic static load rating (C0)	420 kN
(Grease) Lubrication Speed	2 100 r/min
(Oil) Lubrication Speed	2 800 r/min
Calculation factor (e)	0,28
Calculation factor (Y0)	1,17
rs min	2 mm
r1s min	2 mm
e	0.28
Y2	2.12
Y0	1.17
Mass	3 kg
ISO 355 reference	T2DE105
Dynamic load, C	245 kN
Rating life coefficient, A2	1
Static load, C0	420 kN
Nlim (oil)	2,800 rpm
Nlim (grease)	2,100 rpm
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	120 °C
da max	117 mm
db min	116 mm
Da max	150 mm
Db min	153 mm
ra max	2 mm
r1a max	2 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A

Weight / Kilogram	0
EAN	0692314630389
Product Group	B04334