

SNFA VEB 110 7CE1 angular contact ball bearings

Request A Quote For 52 Outer Diameter (mm) Your Special SNFA VEB 110 7CE1 angular contact ball bearings 20x52x15 Size (mm) Needs 20 Bore Diameter (mm) Today! Free Quotes. ISO 9001 certified.

Size (mm)	20x52x15
Bore Diameter (mm)	20
Outer Diameter (mm)	52
Width (mm)	15
d	20 mm
D	52 mm
B	15 mm
C	15 mm
rn	0,5 mm
a	2,46 mm
b	1,35 mm
r min.	1,1 mm
r θ max.	0,4 mm
D1	49,73 mm
da min.	26,5 mm
da max	28 mm
Da max.	45,5 mm
ra max.	1 mm
Weight	0,145 Kg
Basic dynamic load rating (C)	15,9 kN
Basic static load rating (C0)	7,9 kN

(Grease) Lubrication Speed	14 000 r/min
(Oil) Lubrication Speed	17 000 r/min
SRI	4.81
hidYobi	6304N
LangID	1
ro	0.4
D_	52
SREX	0.04
B_	15
da min	26.5
hidTable	ecat_NSRDGB
Oil rpm	17000
SRE	5
mass	0.145
GRS rpm	14000
ra	1
SRIX	0.02
D_a	45.5
SRIN	0
C0	7.9
fo	12.4
SREN	0
DE_	45.525
Prod_Type3	DGBB_SR_N_OT
DA_	9.525
bomp	0
Z_	7
yobi	6304N
C_conv	15900

ALPHA_	0
SDM_	36
r	1.1
KBRG	6101
SBRG	3
DI_	26.475