

# SNFA VEB 40 /NS 7CE1 angular contact ball bearings

How do you 0.0 Inventory find the SNFA VEB 40 /NS 7CE1 angular contact ball bearings specification? Manufacturers Online Free check

|                           |  |
|---------------------------|--|
| Inventory                 | 0.0  |
| Manufacturer Name         | TIMKEN   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 22.7   |
| EAN                       | 0883450098571  |
| Product Group             | M06288   |
| Number of Mounting Holes  | 2  |
| Mounting Method           | Eccentric Collar   |
| Housing Style             | 2 Bolt Pillow Block  |
| Rolling Element           | Spherical Roller Bearing   |
| Housing Material          | Cast Steel   |
| Expansion / Non-expansion | Expansion  |
| Mounting Bolts            | 24 Millimeter  |
| Relubricatable            | Yes  |
| Insert Part Number        | 22218  |
| Seals                     | Triple Lip Viton   |
| Housing Configuration     | 1 Piece Solid  |
| Inch – Metric             | Inch   |
| Other Features            | Double Row   SN Style  |
| Long Description          | 2 Bolt Pillow Block; 3-7/16" Bore; 4.409" Base to Center Height; Eccentric Collar Mount; S |

|                               |                                |
|-------------------------------|--------------------------------|
| UNSPSC                        | 31171511                       |
| Harmonized Tariff Code        | 8483.20.40.80                  |
| Noun                          | Bearing                        |
| Keyword String                | Pillow Block                   |
| Manufacturer Item Number      | QMSN18J307SEN                  |
| Weight / LBS                  | 56                             |
| D                             | 4.055 Inch   103 Millimeter    |
| B                             | 4.409 Inch   112 Millimeter    |
| Bolt Spacing Minimum          | 11.417 Inch   290Millimeter    |
| d                             | 3.438 Inch   87.325 Millimeter |
| Bolt Spacing Maximum          | 12.874 Inch   327Millimeter    |
| Actual Bolt Center to Center  | 0 Inch   0Millimeter           |
| Nominal Bolt Center to Center | 12.1 Inch   308.5 Millimeter   |