

SNFA VEX 100 /S/NS 7CE3 angular contact ball bearings

Offer High Quality Brand SNFA VEX 100 /S/NS 7CE3 angular contact ball bearings .Contact 170 Outer Diameter (mm) Us 360 Bore Diameter (mm) Online to 360x170x72 Size (mm) Get Best Quote.

Size (mm)	360x170x72
Bore Diameter (mm)	360
Outer Diameter (mm)	170
Width (mm)	72
d	170 mm
D	360 mm
B	72 mm
d1	230.65 mm
D1	298.2 mm
r1,2 – min.	4 mm
da – min.	187 mm
Da – max.	343 mm
ra – max.	3 mm
Basic dynamic load rating – C	312 kN
Basic static load rating – C0	340 kN
Fatigue load limit – Pu	8.8 kN
Reference speed	3800 r/min
Limiting speed	2400 r/min
Calculation factor – kr	0.03
Calculation factor – f0	14
Inventory	0.0

Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	170MM Bore; 360MM Outside Diameter; 72MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No F
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	31
Outer Race Width	2.835 Inch 72 Millimeter
Outside Diameter	14.173 Inch 360 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	6.693 Inch 170 Millimeter
d1 ≈	230.65 mm
D1 ≈	298.2 mm
r1,2 min.	4 mm

da min.	187 mm
Da max.	343 mm
ra max.	3 mm
Basic dynamic load rating C	312 kN
Basic static load rating C ₀	340 kN
Fatigue load limit P _u	8.8 kN
Calculation factor k _r	0.03
Calculation factor f ₀	14
Mass bearing	30.8 kg