

SNR 6206LT deep groove ball bearings

How do 65x140x56 Size (mm) you find the SNR 6206LT deep groove ball bearings specification? Manufacturers 140 Outer Diameter (mm) Online Free check

Size (mm)	65x140x56
Bore Diameter (mm)	65
Outer Diameter (mm)	140
Width (mm)	56
d	65 mm
D	140 mm
T	56 mm
d1	140 mm
r min.	2 mm
D1	68 mm
da min.	110 mm
Da max.	95 mm
ra max.	2 mm
Weight	3,96 Kg
Basic dynamic load rating (C)	232 kN
Basic static load rating (C0)	495 kN
(Grease) Lubrication Speed	1 100 r/min
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	4.025
EAN	4547359307405

Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row With Flat Seat
Long Description	65MM Bore 1; 68MM Bore 2; 140MM Outside Diameter; 56MM Height; Ball Bearing; Single Direction; Not B
Inch – Metric	Metric
UNSPSC	31171552
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer Item Number	51413
Weight / LBS	8.73031
Height	2.205 Inch 56 Millimeter
Outside Diameter	5.512 Inch 140 Millimeter
Bore 1	2.559 Inch 65 Millimeter
Bore 2	2.677 Inch 68 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter
bore diameter:	65 mm
dynamic load capacity:	232000 N
outside diameter:	140 mm
operating temperature range:	-40 to 120 °C

overall width:	56 mm
maximum rpm:	1600 rpm
thrust bearing type:	Single-Direction
bearing material:	High Carbon Chrome Steel
outside diameter design:	Straight
cage material:	Steel
separable or banded:	Separable
fillet radius:	2 mm
precision rating:	ISO Class 0
manufacturer product page:	Click here
static load capacity:	495000 N