

SNR AB44234S01 deep groove ball bearings

SNR AB44234S01 deep groove ball bearings, Units and Housings CAD models , 0.0 Inventory Manufacturing Service N/A Minimum Buy Quantity . Get Your Free.

| | |
|---------------------------|---|
| Inventory | 0.0 |
| Manufacturer Name | SKF |
| Minimum Buy Quantity | N/A |
| Weight | 466.718 |
| EAN | 7316577650498 |
| Product Group | B04311 |
| Internal Clearance | C0-Medium |
| Mounting Method | Adapter Mount |
| Rolling Element | Spherical Roller Bearing |
| Bore Profile | Tapered |
| Cage Material | Bronze |
| Enclosure | Open |
| Number of Rows of Rollers | Double Row |
| Relubricatable | Yes |
| Withdrawal Sleeve | AH3280 (Specify bore) |
| Withdrawal Nut | HM3184 |
| Inch – Metric | Metric |
| Long Description | 400MM Tapered Bore; 720MM Outside Diameter; 256MM Width; C0-Medium Clearance; Adapter Mount; Double |

| | |
|------------------------------|---|
| Other Features | Order adapter or withdrawal sleeve or nut separately. Others may be available |
| UNSPSC | 31171510 |
| Harmonized Tariff Code | 84823080 |
| Noun | Bearing |
| Keyword String | Spherical |
| Weight / LBS | 1,028.014 |
| D | 28.346 Inch 720 Millimeter |
| B | 10.079 Inch 256 Millimeter |
| d | 15.748 Inch 400 Millimeter |
| Adapter Part Number | SNP3280 (Specify bore) Inch H3280 (Specify bore) Millimeter |
| bore diameter: | 400 mm |
| maximum rpm: | 670 RPM |
| outside diameter: | 720 mm |
| operating temperature range: | Maximum of +390 °F |
| overall width: | 256 mm |
| cage material: | Brass |
| bore type: | Tapered 1:12 |
| bearing material: | Steel |
| outer ring type: | Not Split |
| cage type: | Inner Ring Guided |
| internal clearance: | C1 |
| precision rating: | Not Rated |
| closure type: | Open |
| finish/coating: | Uncoated |
| lubrication hole type: | Lubrication Groove & Hole |
| outer ring width: | 256 mm |
| dynamic load capacity: | 6550 kN |

| | |
|-----------------------|----------|
| fillet radius: | 5 mm |
| static load capacity: | 10400 kN |
| series: | 232 |