

SNR R168.50 wheel bearings

Manufacturers of all are represented in our partial list of 72×31.75×42.9 Size (mm) clients. Contact Gary for a complete SNR R168.50 wheel bearings list of clients and projects.

Size (mm)	72×31.75×42.9
Bore Diameter (mm)	72
Outer Diameter (mm)	31,75
Width (mm)	42,9
d	31.75 mm
D	72 mm
B	42.9 mm
C	19 mm
d1	46.1 mm
B4	6 mm
s1	25.4 mm
r1,2 – min.	1 mm
Basic dynamic load rating – C	25.5 kN
Basic static load rating – C0	15.3 kN
Limiting speed	170 r/min
Limiting temperature – T	350 °C
Mass bearing	0.52 kg
Grub (set) screw – G2 – 5/16-24 UNF	5/1624 UNF
Hexagonal key size for grub screw – H	3.969 mm
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A

Weight / Kilogram	0.46
EAN	7316571677446
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	No
Seal Type	M Seal
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	1-1/4" Bore; Wide Inner Ring; Ball Bearing; 1.689" Length Thru Bore; 0.748" Outer Rac
Inch – Metric	Inch
Other Features	Single Row Medium Duty Hi-Temp Bearing With Graphite Technology Grub Screw Has Flinger
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer Item Number	YAR 207-104-2FW/VA228
Weight / LBS	1.01
Bore	1.25 Inch 31.75 Millimeter
Outside Diameter	2.835 Inch 72.009 Millimeter
Length Thru Bore	1.689 Inch 42.901 Millimeter
Outer Race Width	0.748 Inch 18.999 Millimeter
bore diameter:	1.2500 in
locking device:	Set Screw

bore type:	Round
d1 ≈	46.1 mm
r1,2 min.	1 mm
Basic dynamic load rating C	25.5 kN
Basic static load rating C0	15.3 kN
Limiting temperature T max.	350 °C
Grub (set) screw G2	5/16-24 UNF
Hexagonal key size for grub screw N	3.969 mm
Recommended tightening torque for grub screw	6.5 N·m