

Timken 239/750YMB spherical roller bearings

Offer High Quality Brand Timken 239/750YMB spherical roller bearings 30 Bore Diameter (mm) .Contact Us 30 mm d Online to Get Best Quote.

Bore Diameter (mm)	30
d	30 mm
U	20,2 mm
Thread (Q)	M6
Z	80 mm
A	20,5 mm
A1	9,5 mm
B	38,1 mm
H	125 mm
J	100 mm
N	11,5 mm
S	2 mm
A2	2 mm
Weight	0,99 Kg
Basic dynamic load rating (C)	19,5 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	1.186
EAN	4012802803433
Product Group	M06110
Number of Mounting Holes	4

Mounting Method	Set Screw
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	11.5 Millimeter
Relubricatable	Yes
Insert Part Number	GYE30KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Metric
Long Description	4 Bolt Round Flange Cartridge; 30MM Bore; 99MM Bolt Circle; 70.7MM Bolt Spacing; 1 Piece Solid; Set
Other Features	Single Row Radial Centering Spigot Metric With Grub Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	RMEY30
Weight / LBS	2.183
Nominal Bolt Circle Diameter Round	3.9 Inch 99 Millimeter
Cartridge Pilot Diameter	3.15 Inch 80 Millimeter
Bore	1.181 Inch 30 Millimeter

Length Thru Bore	1.5 Inch 38.1 Millimeter
Cartridge Pilot Depth	0.354 Inch 9 Millimeter
Bolt Spacing	2.8 Inch 70.7 Millimeter