

# Timken 25583/25519 tapered roller bearings

Timken 25583/25519 tapered roller bearings Deal is your source for OEM and 38,1 mm d accessories. We sell Genuine at discount 38,1 Bore Diameter (mm) prices.

Bore Diameter (mm)	38,1
d	38,1 mm
s1	30,2 mm
A	47,6 mm
A1	32 mm
B	49,2 mm
G	12 mm
H	108 mm
H1	54 mm
H2	20,6 mm
J	143,7 mm
L	187,5 mm
N	22,7 mm
N1	14 mm
Weight	2,55 Kg
Basic dynamic load rating (C)	33,2 kN
Basic static load rating (C0)	21,6 kN
Fatigue load limit (Pu)	0,915
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	2.5

EAN	7316577755889
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	YAR 209-108-2F
Seals	M Seal
Housing Configuration	1 Piece Solid
Inch – Metric	Inch
Other Features	Single Row   Medium Duty   Wide Inner Race   Has Flinger
Long Description	2 Bolt Pillow Block; 1-1/2" Bore; 2-1/8" Base to Center Height; Set Screw Mount; Ball Bear
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	SYM 1.1/2 TF
Weight / LBS	5.5
Bore	1.5 Inch   38.1 Millimeter
Length Thru Bore	1.938 Inch   49.225 Millimeter
Bolt Spacing Maximum	6 Inch   152.4Millimeter
Bolt Spacing Minimum	5.313 Inch   134.95Millimeter

Actual Bolt Center to Center	0 Inch   0Millimeter
Base to Center Height	2.125 Inch   53.98 Millimeter
Nominal Bolt Center to Center	5.9 Inch   150 Millimeter