

# Timken 2586/2525 tapered roller bearings

Various types 130x190x53 Size (mm) and 130 Bore Diameter (mm) sizes to accommodate your Timken 2586/2525 tapered roller bearings requirements.

Size (mm)	130x190x53
Bore Diameter (mm)	130
Outer Diameter (mm)	190
Width (mm)	53
d	130 mm
D	190 mm
T	53 mm
b	17 mm
d1	187 mm
r min.	1,5 mm
A	67 mm
D1	133 mm
D2	160 mm
D3	195 mm
R	140 mm
da min.	166 mm
Da max.	154 mm
ra max.	1,5 mm
Weight	5,33 Kg
Basic dynamic load rating (C)	183 kN
Basic static load rating (C0)	550 kN
(Grease) Lubrication Speed	1100 r/min

SRI	11.15
hidYobi	53226XU
LangID	1
D_	190
SREX	0.08
C	183
B_	53
hidTable	ecat_NSSDTB
Oil rpm	1600
SRE	11.14
mass	5.33
GRS rpm	1100
ra	1.5
SRIX	0.08
T4	53
D_3	195
D_a	154
SRIN	0
C0	550
D_2	160
SREN	0
D_1	133
Prod_Type3	TB_SD_WASW
da	166
DA_	20.638
Z_	21
yobi	53226XU
A_	67
T3	47.9

SDM_	160
r	1.5
KBRG	5131
R_	140