

Timken 37KVL deep groove ball bearings

YOU'LL FIND AN EXTENSIVE 4.0 Inventory SELECTION OF N/A Minimum Buy Quantity Timken 37KVL deep groove ball bearings FOR SALE.

Inventory	4.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.627
EAN	7316571905273
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX310 (Specify Bore)
Withdrawal Nut	KM11
Inch – Metric	Metric
Long Description	50MM Tapered Bore; 90MM Outside Diameter; 23MM Width; C3-Loose Clearance; Adapter Mount; Double Row

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	1.382
Adapter Part Number	SNW10 H310 HA310 HE310 HS310 (Specify Bore) Inch H310 (Specify bore) Millimeter
D	3.543 Inch 90 Millimeter
d	1.969 Inch 50 Millimeter
B	0.906 Inch 23 Millimeter
bore diameter:	50 mm
maximum rpm:	9500 RPM
outside diameter:	90 mm
operating temperature range:	Maximum of +390 °F
overall width:	23 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	23 mm

dynamic load capacity:	104 kN
fillet radius:	1 mm
static load capacity:	108 kN
series:	222