

Timken 39581/39520 tapered roller bearings

Timken 39581/39520 tapered roller bearings Industries and Applications ? We sell 180 Bore Diameter (mm) discount online as well as cheap machinery parts. 180x320x52 Size (mm)

Size (mm)	180x320x52
Bore Diameter (mm)	180
Outer Diameter (mm)	320
Width (mm)	52
d	180 mm
D	320 mm
B	52 mm
C	52 mm
r min.	4 mm
da min.	204 mm
Da max.	297 mm
ra max.	3 mm
Weight	15,9 Kg
Basic dynamic load rating (C)	227 kN
Basic static load rating (C0)	241 kN
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	15.2
EAN	0029176020537
Product Group	B00308
Enclosure	Open

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	180MM Bore; 320MM Outside Diameter; 52MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; N
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6236
Weight / LBS	15.2
Outer Race Width	2.047 Inch 52 Millimeter
Bore	7.087 Inch 180 Millimeter
Outside Diameter	12.598 Inch 320 Millimeter
bore diameter:	180 mm
internal clearance:	C0
outside diameter:	320 mm
dynamic load capacity:	227000 N
overall width:	52 mm
precision rating:	ABEC1, P0
bore type:	Round
finish/coating:	Uncoated
closure type:	Open

cage material:	Steel Cage
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm:	2000 rpm
snap ring included:	Without Snap Ring
SRI	19.72
hidYobi	6236
LangID	1
D_	320
SREX	0.065
B_	52
da min	196
hidTable	ecat_NSRDGB
Oil rpm	2000
SRE	19.72
da max	223
mass	15.9
GRS rpm	1700
ra	3
SRIX	0.065
D_a	304
SRIN	-0.065
C0	241
fo	15.1
SREN	-0.065
DE_	288.1
Prod_Type3	DGBB_SR_OT
DA_	38.1
bomp	0
Z_	11

yobi	6236
C_conv	227000
ALPHA_	0
SDM_	250
r	4
KBRG	6101
SBRG	2
DI_	211.9