

# Timken 5202K angular contact ball bearings

Can't find what you're looking for Timken 5202K angular contact ball bearings ? 30 mm Fw Our expert 30 Bore Diameter (mm) Representatives be in contact with you shortly!

Bore Diameter (mm)	30
Outer Diameter (mm)	35
Fw	30 mm
Ew	35 mm
Bc	17 mm
Weight	0.022 Kg
Basic dynamic load rating (C)	20.2 kN
Basic static load rating (C0)	34.6 kN
(Grease) Lubrication Speed	9300 r/min
(Oil) Lubrication Speed	14000 r/min
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.023
EAN	0060579021751
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly Only
Enclosure	Not Applicable
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row

Separable	No
Closed End	Not Applicable
Inch – Metric	Metric
Thrust Bearing	No
Long Description	30MM Bore; 35MM Outside Diameter; 17MM Width; Needle Roller Bearing; Roller Assembly Only; No Self A
Other Features	Radial Roller   Hardened Steel Cage
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer Item Number	K30X35X17H
Weight / LBS	0.049
Width	0.669 Inch   17 Millimeter
Outside Diameter	1.378 Inch   35 Millimeter
Bore	1.181 Inch   30 Millimeter
Bearing No.	K30X35X17H
Cr	20.2
C0r	34.6
Cu	5.35
Grease lub.	9300
Oil lub.	14000
P/S	S
(Refer.)Mass(kg)	0.022
Shaft(max.)	30.000
Shaft(min.)	29.991
Housing(max.)	35.025

Housing(min.)	35.009
---------------	--------