

# Timken 5310WG angular contact ball bearings

Timken 5310WG angular contact ball bearings Needs Analysis ,  
TIMKEN Manufacturer Name 0.0 Inventory Manufacturing Service  
N/A Minimum Buy Quantity . Get Your Free.

|                           |  |
|---------------------------|--|
| Inventory                 | 0.0  |
| Manufacturer Name         | TIMKEN   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 57.204   |
| EAN                       | 0883450247481  |
| Product Group             | M06288   |
| Number of Mounting Holes  | 4  |
| Mounting Method           | V Lock   |
| Housing Style             | 4 Bolt Pillow Block  |
| Rolling Element           | Spherical Roller Bearing   |
| Housing Material          | Cast Steel   |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 1 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | 22226  |
| Seals                     | Teflon Labyrinth   |
| Housing Configuration     | 1 Piece Solid  |
| Inch – Metric             | Inch   |
| Other Features            | Double Row   Double Nut   SN Style   |
| Long Description          | 4 Bolt Pillow Block; 4-7/16" Bore; 5-29/32" Base to Center Height; V Lock Mount; Spherical |

|                               |                                 |
|-------------------------------|---------------------------------|
| UNSPSC                        | 31171511                        |
| Harmonized Tariff Code        | 8483.20.40.80                   |
| Noun                          | Bearing                         |
| Keyword String                | Pillow Block                    |
| Manufacturer Item Number      | QVVPG26V407ST                   |
| Weight / LBS                  | 136                             |
| Bolt Spacing Maximum          | 15.75 Inch   400.05Millimeter   |
| Bolt Spacing Minimum          | 14.75 Inch   374.65Millimeter   |
| Actual Bolt Center to Center  | 0 Inch   0Millimeter            |
| Nominal Bolt Center to Center | 15.3 Inch   389 Millimeter      |
| d                             | 4.438 Inch   112.725 Millimeter |
| B                             | 5.906 Inch   150 Millimeter     |
| D                             | 7.02 Inch   178.3 Millimeter    |