

Timken 9101P deep groove ball bearings

100% 22.225×34.925×25.4 Size (mm) Authentic. Timken 9101P deep groove ball bearings Highest Quality. Certified 34,925 Outer Diameter (mm) Supplier.

| | |
|-------------------------------|---|
| Size (mm) | 22.225×34.925×25.4 |
| Bore Diameter (mm) | 22,225 |
| Outer Diameter (mm) | 34,925 |
| Width (mm) | 25,4 |
| Fw | 22,225 mm |
| D | 34,925 mm |
| C | 25,4 mm |
| r5 min. | 1,02 mm |
| Weight | 0,086 Kg |
| Basic dynamic load rating (C) | 30,7 kN |
| Basic static load rating (C0) | 40,3 kN |
| (Grease) Lubrication Speed | 21000 r/min |
| Inventory | 17.0 |
| Manufacturer Name | KOYO |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.09 |
| EAN | 0060579018622 |
| Product Group | B04144 |
| Rolling Element | Needle Roller Bearing |
| Component | Roller Assembly with Outer Ring – No Inner Ring |
| Enclosure | Open |

| | |
|---------------------------|--|
| Self Aligning | No |
| Retainer | Yes |
| Number of Rows of Rollers | Single Row |
| Separable | No |
| Closed End | No |
| Inch – Metric | Inch |
| Relubricatable | Yes |
| Thrust Bearing | No |
| Long Description | 7/8" Bore; 1-3/8" Outside Diameter; 1" Width; Needle Roller Bearing; Roller Assembly |
| Other Features | 2 Rib Outer Ring Steel Cage Heavy Duty Oil Hole |
| UNSPSC | 31171512 |
| Harmonized Tariff Code | 8482.40.00.00 |
| Noun | Bearing |
| Keyword String | Needle |
| Manufacturer Item Number | HJ-142216 |
| Weight / LBS | 0.19 |
| Bore | 0.875 Inch 22.225 Millimeter |
| Width | 1 Inch 25.4 Millimeter |
| Outside Diameter | 1.375 Inch 34.925 Millimeter |
| Bearing No. | HJ-142216 |
| rs(min) | 1.02 |
| Used with inner ring No. | IR-101416 |
| Cr | 25.4 |
| C0r | 40.3 |

| | |
|-------------------------------------|--------|
| Cu | 6.35 |
| Grease lub. | 13000 |
| Oil lub. | 21000 |
| (Refer.)Mass(kg) | 0.086 |
| Clearance fit S(h6)(max.) | 22.225 |
| Clearance fit S(h6)(min.) | 22.212 |
| Clearance fit H(H7)(max.) | 34.950 |
| Clearance fit H(H7)(min.) | 34.925 |
| Tight transition fit S(f6)(max.) | 22.205 |
| Tight transition fit S(f6)(min.) | 22.192 |
| Tight transition fit H(N7)(max.) | 34.917 |
| Tight transition fit H(N7)(min.) | 34.892 |
| Da | 30.18 |