

Timken GYAE45RRB deep groove ball bearings

What is Timken GYAE45RRB deep groove ball bearings in mechanical engineering? Manufacturing Service . Upload your CAD file for an 0.0 Inventory instant.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	168 lb
EAN	0013992053022
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	MSM110BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Metric
Other Features	Single Row Medium Duty With Support Wide Inner Ring
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80

Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	168.28
B	6.378 Inch 162 Millimeter
Nominal Bolt Center to Center	17.7 Inch 450 Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
D	3.937 Inch 100 Millimeter
Actual Bolt Center to Center	17.7 Inch 450Millimeter
Bolt Spacing Maximum	0 Inch 0Millimeter
d	4.331 Inch 110 Millimeter
Shaft Size	110 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Four-Bolt Plummer Block
Series Type	Medium Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – Standard
Bolt Size	4 x M24
Dimension H	6.378 in
Dimension H1	1.5 in
Dimension H2	14.6 in
Dimension J	17.7 in
Dimension K	4.7 in
Dimension L	20.0 in
Dimension M	7.0 in
Housing Width	6.4 in
Cr – Dynamic Load Rating	102063 lbf
Cor – Static Load Rating	133087 lbf

Maximum Speed	1820 rpm
Note	This product line was formerly known as "Revolvo"