

Timken LM11949/LM11910 tapered roller bearings

Timken LM11949/LM11910 tapered roller bearings Deal is 0.0 Inventory your source for OEM and accessories. We sell Genuine at discount prices.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.009
EAN	7316577002280
Product Group	B04264
Self Aligning	Yes
Rolling Element	Spherical Plain
Material – Outer Member	Steel
Material – Ball	Steel
Material – Liner	Not Applicable
Relubricatable	Yes
Enclosure	Open
Other Features	2 Piece Side Lubrication Only
Long Description	4MM Bore; 3MM Housing Width; 12MM Outside Diameter; Spherical Plain; Steel Outer Member; Steel Ball;
Inch – Metric	Metric
UNSPSC	31171515
Harmonized Tariff Code	8483.30.80.70

Noun	Bearing
Keyword 3	Spherical
Keyword String	Plain Spherical Radial
Manufacturer Item Number	GE 4 E
Weight / LBS	0.007
B	5 mm
d	4 mm
Housing Width	0.118 Inch 3 Millimeter
D	12 mm
bore diameter:	4 mm
inner ring material:	Steel
outside diameter:	12 mm
outer ring width:	3 mm
misalignment angle:	16 °
radial static load capacity:	10.2 kN
inner ring width:	5 mm
radial dynamic load capacity:	2.04 kN
bearing type:	Radial
operating temperature range:	-50 to +200 °C °F
lubrication type:	Requires Lubrication
overall width:	5 mm
closure type:	Open
manufacturer upc number:	7316577002280
outer ring material:	Steel
Lubricant	Regular relubrication – grease
Design (sliding contact surface combination)	Steel/steel
Sealing solution	–

C	3 mm
α	16 °
dk	8 mm
r1 min.	0.3 mm
r2 min.	0.3 mm
da min.	5.5 mm
da max.	6.2 mm
Da min.	7.6 mm
Da max.	10.7 mm
ra max.	0.3 mm
rb max.	0.3 mm
Basic dynamic load rating C	2.04 kN
Basic static load rating C0	10.2 kN
Specific dynamic load factor K	100 N/mm ²
Specific static load factor K0	500 N/mm ²
Material constant KM	330
Mass plain bearing	0.003 kg