

# Timken NKJ75/35 needle roller bearings

Timken NKJ75/35 needle roller bearings Industries and Applications ? We 180x320x57 Size (mm) sell discount online as well 320 Outer Diameter (mm) as cheap machinery parts.

|                               |            |
|-------------------------------|------------|
| Size (mm)                     | 180x320x57 |
| Bore Diameter (mm)            | 180        |
| Outer Diameter (mm)           | 320        |
| Width (mm)                    | 57         |
| d                             | 180 mm     |
| D                             | 320 mm     |
| T                             | 57 mm      |
| B                             | 52 mm      |
| C                             | 43 mm      |
| a                             | 61,8 mm    |
| r min.                        | 5 mm       |
| r1 min.                       | 4 mm       |
| da min.                       | 207 mm     |
| Da min                        | 281 mm     |
| Da max.                       | 302 mm     |
| db max.                       | 210 mm     |
| Db min.                       | 297 mm     |
| ra max.                       | 4 mm       |
| rb max.                       | 3 mm       |
| Weight                        | 17,8 Kg    |
| Basic dynamic load rating (C) | 650 kN     |
| Basic static load rating (C0) | 930 kN     |

|                            |            |
|----------------------------|------------|
| (Grease) Lubrication Speed | 1100 r/min |
| (Oil) Lubrication Speed    | 1400 r/min |
| Calculation factor (e)     | 0,45       |
| Calculation factor (Y0)    | 0,73       |
| LangID                     | 1          |
| outer r                    | 4          |
| D_                         | 320        |
| TC-BET22                   | 0          |
| TC-BET21                   | 4          |
| TC-BET23                   | 0          |
| inner r                    | 5          |
| mass                       | 17.8       |
| GRS rpm                    | 1100       |
| D_b                        | 297        |
| Cr                         | 66000      |
| TC-RA                      | 510.68     |
| DE_                        | 283.828    |
| T-ALP23                    | 54         |
| db                         | 210        |
| T-ALP22                    | 23         |
| Prod_Type3                 | TRBSR_MD_A |
| da                         | 207        |
| T-ALP21                    | 33         |
| Iso                        | 4GB        |
| ALPHA_                     | 16.7       |
| SDM_                       | 249.959    |
| SBRG                       | 2          |
| D_a2                       | 281        |
| hidYobi                    | HR30236J   |

|          |             |
|----------|-------------|
| Y1       | 1.3         |
| D_a1     | 302         |
| B_       | 52          |
| hidTable | ecat_NSTPRM |
| Oil rpm  | 1400        |
| C0r      | 95000       |
| Y0       | 0.73        |
| TC-SLR   | 38          |
| inner ra | 4           |
| outer rb | 3           |
| C0       | 930         |
| Sa       | 9           |
| Sb       | 14          |
| e        | 0.45        |
| DA_      | 34.329      |
| Z_       | 21          |
| C_       | 43          |
| yobi     | HR30236J    |
| TC-DA1   | 35.642      |
| TC-DA2   | 33.013      |
| KBRG     | 3111        |
| DI_      | 216.09      |